Biozym.

Uno and Duo

Single tube readers

Features

- Easy set-up, straight out of the box
- Reads all 2D DataMatrix coded tubes, including Azenta Acoustic tubes (with Acoustic add-on)
- Uno features higher resolution camera that can often decode older, badlyprinted barcodes
- Duo combines the DataMatrix reader with a linear barcode scanner to read rack codes or 1D barcodes along the edge of some tubes
- Super-fast electronics capable of reading 2D barcodes from any currently available tube on the market, including 384-well tubes
- Large imaging windows make it easy to present the tubes



Uno and Duo single tube readers

The Ziath single tube readers offer easy set-up, straight out of the box, with only a few minutes needed to install the application software. The instruments are provided already calibrated and the reader can read all 2D DataMatrix coded tubes, including, as an extra option, Azenta Acoustic tubes. The new Uno single tube reader features a higher resolution camera than the previous model that can often decode older, badly-printed barcodes more easily.

The Duo reader combines the DataMatrix reader with a linear barcode scanner to read rack codes or 1D barcodes along the edge of some tubes.

Specifications

- Dimensions (LxWxH) 66 mm x 53.5 mm x 51.5 mm
- Single USB connection is all that is required for power and data communication



Consumables & Instruments | 2D Barcode Readers

Uno and Duo

Single tube readers

Easy to set-up and easy to use

With the Uno measuring just 66 mm x 53.5 mm x 51.5 mm (LxWxH), these rugged new tube readers feature a high-resolution camera with super-fast electronics capable of reading 2D barcodes from any currently available tube on the market including 384-well tubes.

Simply hold your tube to the imaging window and the code is instantly displayed.

The readers can be supplied with or without optional cryoprotection to enable trouble-free reading

of tubes taken straight from cold storage. These USB 3 devices act as a Microsoft® Keyboard Wedge and insert the barcode into any open

programme on the desktop. The

enhanced drivers allow the Uno or Duo to be ready to read immediately with no lag time and even allow adjustment of the camera for changes in contrast between different manufacturers' tubes. The software for Uno and Duo offers a keyboard wedge mode which allows you to enter the decoded data directly into your application. The large imaging windows make it easy to present the tubes, even when wearing cryoprotective or anti-contamination clothing. A single USB connection is all that these single tube readers need for power and data communication.

Ziath's Cryoprotection™ option reduces condensation caused by cold racks. It uses no heat or fans and will not damage sensitive cold samples being read. The formation of condensation on the instrument window whilst reading tubes straight from cryogenic storage is a well-known problem. Ziath's Cryoprotection is a special coating that eliminates the condensation and ensures uninterrupted reading. Ziath's method for eliminating condensation uses no extra electrical components or heating, resulting in no risk of accidentally thawing your samples, increased reliability and ensuring that the cost of this option is at acceptable levels.

Ordering information

Code	Description
ZTS-UNO	Uno 2D Single tube reader
601075	Uno 2D Single tube reader with Cryoprotection
601076	Duo 2D Single tube reader with 1D linear barcode scanner
601077	Duo 2D Single tube reader with 1D linear barcode scanner with Cryoprotection
ZTS-UP-AT	Software upgrade for Azenta Acoustic Tubes





Ziath Ltd Email: info@ziath.com www.ziath.com An Azenta Life Sciences company www.azenta.com

Ziath technology is protected by patents and patent applications in the UK, USA and worldwide. Ziath has a continuous development programme aimed at further improving and developing its products. All specifications are, therefore, subject to change. E&OE. All trade marks acknowledged. © 2023 Ziath Limited. 44004-SO 0823



Biozym Scientific GmbH Tel.: 05152 / 9020, Fax: 05152 / 2070 Mail: support@biozym.com Biozym Biotech Trading GmbH Tel.: 01 / 334 0156 0, Fax: 01 / 334 0156 88 Mail: support@biozym.com







